

# TECHNICAL DATA SHEET

### AD-Tec 16 5W-30 LL

1 Litre, 5 Litre, 20 Litre & 199 Litre

### **Product Description**

AD-TEC 16 5W/30 LL is a fully synthetic engine oil formulated using the most advanced additive technology to produce a fuel efficient engine oil that has excellent high and low temperature performance and exceptional long term anti wear characteristics. Suitable for use in petrol & diesel engines where specified including: Vauxhall, Opel, Mercedes, BMW and Saab, Renault & VAG group engines

## Recommended for use by AD for the following manufacturer's specifications

ACEA: A3/B4 API: SL/CF

GM: LL-A-025 & LL-B-025

MB: 229.3

Opel: B-040-2095 & B-040-2098 Renault: RN0700 & RN0710

VW: 502.00 & 505.00

# ACEA A JAR AN BUCY ON ILLACOS B IB 800 PM IN MINERC MOTOR OUT ACCOS ACC

\* Image for illustrative purposes only.

Size	Part No	Barcode
1 Litre	AKC001	5020618202066
5 Litre	AKC005	5020618202073
20 Litre	AKC020	5020618202080
199 Litre	AKC199	5020618202097

### **Product Benefits**

Ensures lubricant performance over extended drain intervals

- \* Excellent high & low temperature performance
- \* Outstanding fuel efficiency
- \* Effective component wear protection

### **Product Usage**

For engines where this specification and viscosity of lubricant is required.

### **Directions for Use**

As recommended by the engine manufacturer.

### **Storage Instructions**

Store upright and sealed in a cool, dry place out of the reach of children.

Revision: 1 | Date: 27/04/2022



# TECHNICAL DATA SHEET

### AD-Tec 16 5W-30 LL

**Shelf Life** 

1 Litre, 5 Litre, 20 Litre & 199 Litre

5 years from date of manufacture.

Appearance : Amber liquid

Odour : Characteristic

Solubility : Insoluble in water

Percentage of Base Oil : More Than 80%

Percentage of Biodiesel : Nil

Test	Method	Unit	Min.	Max.	Typical
Viscosity, Kinematic 100°c	ASTM D445	mm²/s	9.3	<12.5	12.4
Viscosity, CCS -30°c	ASTM D4684	mPa.s		<6600	
Total Base Number	ASTM D2896	mg KOH/g	10		11.9
HTHS Viscosity	ASTM D4683	mPa.s	>3.5		
NOACK Volatility	ASTM D5800	%		10	
Pour Point	ASTM D97	°c		-27	
Viscosity, Kinematic 40°c	ASTM D445	mm²/s			77.1
Viscosity Index	ASTM D2270				159
Density	ASTM D792	@ 15°c			0.85

### **Safety Precautions**

Please see our latest EC Safety Data Sheets for details.

### **Transport Classification**

Please see our latest EC Safety Data Sheets for details.

Revision: 1 | Date: 27/04/2022