

## AD-Tec 8 0W-30 C2-P

1 Litre, 5 Litre, 20 Litre & 199 Litre

### Product Description

AD-TEC 0W/30 C2-P is a fully synthetic mid-SAPS engine oil specially formulated to meet the very latest specifications and fuel efficiency targets required by Peugeot/Citroen power units including Blue HDi and Pure Tech engine types. Suitable for use in Petrol and Diesel engines where specified.

### Recommended for use by AD for the following manufacturer's specifications

ACEA: C2

PSA: B71 2312



\* Image for illustrative purposes only.

### Product Benefits

- \* Fully synthetic
- \* Reduces fuel consumption
- \* Stable lubricant film at high temperatures
- \* Suitable for extended oil drain intervals

Size	Part No	Barcode
1 Litre	AGA001	5020618202806
5 Litre	AGA005	5020618202813
20 Litre	AGA020	5020618202752
199 Litre	AGA199	5020618202882

### Product Usage

For use in engines where this viscosity and specification is required including petrol and diesel engines including those fitted with three way catalysts and diesel particulate filters.

### Directions for Use

Use as per the engine manufacturers recommendations

### Storage Instructions

Store sealed and upright in a cool dry place out of the reach of children

### Shelf Life

5 years from date of manufacture

Appearance	:	Clear Amber Liquid
Odour	:	Characteristic
Solubility	:	Insoluble in water
Percentage of Biodiesel	:	Nil

Revision: 1 | Date: 17/01/2023

### IMTFA Ltd

PO Box 335, Par, Cornwall, PL25 9HH

Email: info@imtfa.co.uk

To find the recommended oil for your vehicle please visit [www.adoil.co.uk](http://www.adoil.co.uk) or speak directly to one of our stockists.



## AD-Tec 8 0W-30 C2-P

Test	Method	Unit	Min.	Max.	Typical
Viscosity, Kinematic 100°C	ASTM D445	mm <sup>2</sup> /s	9.3	<12.5	11
Viscosity, CCS -35°C	ASTM D4684	mPa.s		6200	
Total Base Number	ASTM D2896	mg KOH/g	6		11.5
Pour Point	ASTM D97	°C		-35	
HTHS Viscosity	ASTM D4683	mPa.s	2.9		
NOACK Volatility	ASTM D5800	%		13	
Viscosity, Kinematic 40°C	ASTM D445	mm <sup>2</sup> /s			61.9
Density	ASTM D792	@ 15°C			0.85
Viscosity Index	ASTM D2270				171

### Safety Precautions

Please see our latest EC Safety Data Sheets for details.

### Transport Classification

Please see our latest EC Safety Data Sheets for details.