

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	AD-TEC 16 LL 5W/30
Product code	AKC001, AKC005, AKC020, AKC199
1.2 Relevant identified uses of the subst	ance or mixture and uses advised against
Identified Use(s)	Lubricating oil
Uses Advised Against	Not known.
1.3 Details of the supplier of the safety of	lata sheet
Manufacturer	
Company Identification	Granville Oil & Chemicals Ltd
Address of Manufacturer	29 Goldthorpe Ind. Est.,
	Goldthorpe,
	Rotherham,
	South Yorkshire,
Postal code	S63 9BL
Telephone:	+44 (0)1709 890099
Fax	Not known.
E-mail	lab@granvilleoil.com
Office hours	08:00 - 17:00
Supplier	
Company Identification	Veedol Ireland Ltd
Address of Supplier	77 Camden Street Lower,
	Saint Kevin's,
	Dublin,
	Ireland
Postal code	D02 XE80,
Telephone:	+353 151 363 47
Fax	Not known.
E-mail	lab@granvilleoil.com
Office hours	
1.4 Emergency telephone number	
Emergency Phone No.	+44 (0)1709 890099
Contact	Granville Lab

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mit	xture
Regulation (EC) No. 1272/2008 (CLP)	Not classified as dangerous for supply/use.
2.2 Label elements	
	According to Regulation (EC) No. 1272/2008 (CLP)
Product Name	AD-TEC 16 LL 5W/30
Hazard Pictogram(s)	None.



Signal Word(s)	None.
Hazard Statement(s)	EUH208: Contains: (Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts) May produce an allergic reaction.
Precautionary Statement(s)	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children.
2.3 Other hazards	
0.4. Additional Information	None known.
2.4 Additional Information	None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH	%W/W	Hazard Statement(s)	Hazard
		Registration No.			Pictogram(s)
Lubricating oils (petroleum), C15-30,	72623-86-0	276-737-9	3-6	Asp. Tox. 1 H304	GHS08
hydrotreated neutral oil-basedBaseoil					
Benzenesulfonic acid, mono-C16-24-	70024-69-0		<3	Skin Sens. 1B H317	GHS07
alkyl derivs., calcium salts					
Phosphorodithioic acid, mixed O,O-	85940-28-9		<1	Skin Irrit. 2 H315	GHS05
bis(2-ethylhexyl and iso-Bu and iso-Pr)				Eye Dam. 1 H318	GHS07
esters, zinc salts				Aquatic Chronic 2 H411	GHS09
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1		<1	Repr. 2 H361f	GHS08
diphenylamine	122-39-4		<0.1	Acute Tox. 3 H301	GHS06
				Acute Tox. 3 H311	GHS08
				Acute Tox. 3 H331	GHS09
				STOT RE 2 H373	
				Aquatic Acute 1 H400	
				Aquatic Chronic 1 H410	

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
-------------------------	---------	------------------------------	----------	-----



diphenylamine	122-39-4		Acute Tox. 3 (H301) : 100
			Acute Tox. 3 (H311) : 300
			Acute Tox. 3 (H331) : 3.000

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position
Initialation	in breathing is difficult, remove victim to resh an and keep at rest in a position
	comfortable for breathing.
Skin Contact	Wash skin with water.
Eye Contact	Flush eyes with water for at least 15 minutes.
Ingestion	Do not induce vomiting wash out mouth with water. Get medical advice/attention if
	vou feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASU	RES
5.1 Extinguishing media	
Suitable Extinguishing media	Foam, CO₂ or dry powder
Unsuitable extinguishing media	None.
5.2 Special hazards arising from the s	substance or mixture
	None anticipated. Heating may cause decomposition.
5.3 Advice for firefighters	
·	As appropriate for surrounding fire.
SECTION 6: ACCIDENTAL RELEASE	MEASURES
6.1 Personal precautions, protective e	
	equipment and emergency procedures
6.1 Personal precautions, protective e	equipment and emergency procedures
6.1 Personal precautions, protective e	equipment and emergency procedures Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely. Avoid release to the environment.
6.1 Personal precautions, protective e6.2 Environmental precautions	equipment and emergency procedures Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely. Avoid release to the environment.

See Also Section 8, 13.



7.1 Precautions for safe handling				
	Ensure adequate ventilation. Wear protective clothing as per section 8. Do not eat,			
	drink or smoke when using this product. Always wash hands before smoking, eating			
	and drinking.			
7.2 Conditions for safe storage, including any incompatibilities				
Storage temperature	Store in a well-ventilated place. Keep cool.			
Storage life	Stable under normal conditions.			
Incompatible materials	Oxidizing agents.			
7.3 Specific end use(s)				
	Lubricating oil			

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Diphenylamine	122-39-4		10		20	

Region	Source
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment

Eye Protection	Wear eye protection with side protection (EN ISO 16321-1).
Skin protection	Not normally required.
Respiratory protection	Normally no personal respiratory protection is necessary.
Thermal hazards	None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Amber.
Odour	Characteristic odour.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and	Not known.
boiling range	
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	≥60 mm²/s 40 °C
Solubility	Solubility (Water): Not known.
	Solubility (Other): Not known.
Partition coefficient n-octanol/water (log	Not known.
value)	
Vapour pressure	Not known.
Density and/or relative density	Density (g/ml): 0.85 g/cm³ - Relative density: 15 °C
Relative vapour density	Not known.
Particle characteristics	Not known.
9.2 Other information	
	None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
	None anticipated.
10.2 Chemical Stability	
	Stable under normal conditions.
10.3 Possibility of hazardous reactions	
	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	
	None anticipated.
10.5 Incompatible materials	
	Oxidizing agents.
10.6 Hazardous decomposition products	
	No hazardous decomposition products known.
SECTION 11: TOXICOLOGICAL INFORMATION	

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

AUTOMOTIVE SAFETY DATA SHEET

Date of Revision: 26-07-2024

AD-TEC 16 LL 5W/30

Acute toxicity - Ingestion	Calculation method : Not classified.
	Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE -
	1388888.88
Acute toxicity - Skin Contact	Calculation method : Not classified.
	Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE -
	4166666.75
Acute toxicity - Inhalation	Calculation method : Not classified.
	Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 41666.67
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Self classification: Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.
11.2 Information on other hazards	

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.	
Toxicity - Fish	Low toxicity to fish.	
Toxicity - Algae	Low toxicity to algae.	
Toxicity - Sediment Compartment	Not classified.	
Toxicity - Terrestrial Compartment	Not classified.	
12.2 Persistence and degradability		
	Not known.	
12.3 Bioaccumulative potential		
	Not known.	
12.4 Mobility in soil		
	Not known.	
12.5 Results of PBT and vPvB assessment		
	Not known.	
12.6 Endocrine disrupting properties		
	None known.	
12.7 Other adverse effects		
	Not known.	

SECTION 13: DISPOSAL CONSIDERATIONS



13.1 Waste treatment methods	
	Dispose at suitable refuse site. Dispose of contents in accordance with local, state
	or national legislation. Dispose of this container to hazardous or special waste
	collection point. Avoid release to the environment.
13.2 Additional Information	
	No special precautions are required for this product.
SECTION 14: TRANSPORT INFORMATION	

Not classified as hazardous for transport.

14.1	UN number or ID number	
		Not applicable
14.2	UN proper shipping name	
		Not applicable
14.3	Transport hazard class(es)	
		Not applicable
14.4	Packing group	
		Not applicable
14.5	Environmental hazards	
		Not classified as a Marine Pollutant.
14.6	Special precautions for user	
		Not known
14.7	Maritime transport in bulk according	to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use		
Candidate List of Substances of Very	Not listed	
High Concern for Authorisation		
REACH: ANNEX XIV list of substances	Not listed	
subject to authorisation		
REACH: Annex XVII Restrictions on the	Carcinogens: category 1B (72623-86-0), Benzenesulfonic acid, mono-C16-24-alkyl	
manufacture, placing on the market and	derivs., calcium salts (70024-69-0), Phosphorodithioic acid, mixed O,O-bis(2-	
use of certain dangerous substances,	ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9), diphenylamine	
mixtures and articles	(122-39-4), C18-C50 branched, cyclic and linear hydrocarbons – Distillates (848301-	
	69-9)	
Community Rolling Action Plan (CoRAP)	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-	
	1)	
Regulation (EU) N° 2019/1021 of the	Not listed	
European Parliament and of the Council		
on persistent organic pollutants		



Date of Revision: 26-07-2024

AD-TEC 16 LL 5W/30

Regulation (EC) N° 1005/2009 on	Not listed
substances that deplete the ozone layer	
Regulation (EU) N° 649/2012 of the	Diphenylamine (122-39-4)
European Parliament and of the Council	
concerning the export and import of	
hazardous chemicals	
National regulations	
Other	Not known.
15.2 Chemical Safety Assessment	
	A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)	None.
	GHS05: GHS: Corrosion
	GHS06: GHS: Skull and crossbones
	GHS07: GHS: Exclamation mark
	GHS08: GHS: Health hazard
	GHS09: GHS: Environment
Hazard classification	Acute Tox. 3 : Acute toxicity, Category 3
	Asp. Tox. 1 : Aspiration hazard, Category 1
	Acute Tox. 3 : Acute toxicity, Category 3
	Skin Irrit. 2 : Skin corrosion/irritation, Category 2
	Skin Sens. 1B : Skin sensitization, Category 1B
	Eye Dam. 1 : Serious eye damage/irritation, Category 1
	Acute Tox. 3 : Acute toxicity, Category 3
	Repr. 2 : Reproductive toxicity, Category 2
	STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2
	Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1
	Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1
	Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2
Hazard Statement(s)	H301: Toxic if swallowed.
	H304: May be fatal if swallowed and enters airways.
	H311: Toxic in contact with skin.
	H315: Causes skin irritation.

AUTOMOTIVE SAFETY DATA SHEET

Date of Revision: 26-07-2024

AD-TEC 16 LL 5W/30

	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H331: Toxic if inhaled.
	H361f: Suspected of damaging fertility.
	H373: May cause damage to organs through prolonged or repeated exposure.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	H411: Toxic to aquatic life with long lasting effects.
Precautionary Statement(s)	None.
Acronyms	ATE : Acute Toxicity Estimate
	CAS : Chemical Abstracts Service
	CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of
	substances and mixtures
	DNEL : Derived No Effect Level
	EC : European Community
	EINECS : European Inventory of Existing Commercial Chemical Substances
	LTEL : Long term exposure limit
	PBT : Persistent, Bioaccumulative and Toxic
	PNEC : Predicted No Effect Concentration
	REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
	STEL : Short term exposure limit
	STOT : Specific Target Organ Toxicity
	vPvB : very Persistent and very Bioaccumulative
Key literature references and sources for data used to compile the SDS	Regulation (EC) No. 1272/2008 (CLP)
Training Advice	Regular safety training as appropriate
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed
	to be accurate and is given in good faith, but it is for the Users to satisfy themselves
	of the suitability of the product for their own particular purpose. Granville Oil &
	Chemicals Ltd gives no warranty as to the fitness of the product for any particular
	purpose and any implied warranty or condition (statutory or otherwise) is excluded
	except to the extent that exclusion is prevented by law. Granville Oil &
	Chemicals Ltd accepts no liability for loss or damage (other than that arising from
	death or personal injury caused by defective product, if proved), resulting from
	reliance on this information. Freedom under Patents, Copyright and Designs cannot

be assumed.